

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	1414	"reference potential terminal"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 08:37
L4	1	("2000004087").PN.	JPO	OR	OFF	2005/04/07 08:50
L5	1	("2001285430").PN.	JPO	OR	OFF	2005/04/07 09:19
L6	29542	conductive with (resilient projection protrusion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:21
L7	723	LCD and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:21
L8	386	(potential ground GND) and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:21
L10	1375628	"reference potential terminal" ground "ground terminal"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:06
L11	1309	(LCD "liquid crystal display") and resilient\$3 and L10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:06
L13	657	("reference potential terminal" ground GND) and conductive and L11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:07
S1	1236	(349/58-60).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 11:19

S2	1775	(361/681-682,747).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 08:51
S4	34	display and (case or casing) and screw and resilient and "reference potential"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 09:17
S6	39	display and screw and resilient and "reference potential"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 09:18
S7	76	(display screen) and position\$3 and screw and resilient and "reference potential"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 09:37
S8	381	("liquid crystal" LCD) and casing and resilient and terminal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 10:02
S9	943	(455/575.1,128,90.3).CCLS.	USPAT; USOCR	OR	OFF	2005/04/06 10:19
S10	1236	(349/58-60).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 11:19
S11	91	resilient and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 11:51
S12	107	(349/60).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/06 12:07

S13	657	LCD and (case casing frame) and screw and resilient\$3 and (projection protrusion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 12:09
S14	1	"reference potential terminal" and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:29
S16	1414	"reference potential terminal"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:31
S17	17	LCD and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:31
S18	1375753	"reference potential terminal" ground "ground terminal"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 15:38
S20	1309	(LCD "liquid crystal display") and resilient\$3 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 16:02
S21	905	conductive\$3 and S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/06 16:02